



Lipo Laser Panel Contraindications

- Pregnant women or women who may be pregnant and breastfeeding
 - Minimum of 3 months after giving birth
 - Minimum of 6 months after C Section

please consult with your doctor first before starting skin treatments

- Skin infections
- Acute fever
- Heart diseases or pacemakers
- Have a kidney disorder
- Liver disease
- Uncontrolled diabetes or hypertension
- Uncontrolled thyroid disorder
- Epilepsy
- Have cancer and/or undergoing radiation therapy.
- Under 18 years of age



Lipo-Cavitation Contraindications

THE LIST BELOW IS OF THINGS THAT REQUIRE A WAITING PERIOD UNTIL YOU CAN BEGIN TREATMENTS

- Recent surgery (wait 6 months)
- Recent scars (wait 6 months)
- Skin diseases (avoid area)
- Infection (avoid area)
- Antibiotics (wait until course completed)
- Inflammation (avoid area)
- Varicose Veins (avoid area)
- Prosthesis/silicone implants (avoid area)
- Metal implants/screws (avoid area)
- Menstrual Period (wait until after)
- Metal contraceptive coil (avoid area) ex: Paragard (Safe if Plastic).
- Depilatory Creams (wait 2 weeks)
- Areas being treated with IPL or Laser (wait 2 weeks)
- Areas being treated with Botox (wait 3 months) or dermal fillers (wait 3 weeks)
- Sun Tan (sun must be avoided the entire duration of the treatment regime)
- Chronic inflammation (depending on severity of chronic inflammatory conditions – Consider that treatment will increase inflammation and anti-inflammatory medications reduce the effectiveness of the treatment.
- Pregnant or will be pregnant
- Breastfeeding



Heat Therapy Contraindications

- Pregnant
- HIV/AIDS
- Cancer (ALL FORMS)
- Undergoing chemotherapy or immunotherapy
- Numb or insensitive to heat
- Under 18 years of age

HEAT THERAPY IS SAFE FOR THOSE WHO ARE ACTIVELY BREASTFEEDING!

CONDITIONS THAT NEED A DOCTOR'S LETTER OF APPROVAL TO CONFIRM THE TREATMENT IS SUITABLE BEFORE TREATMENTS CAN BEGIN:

- Epilepsy
- Transplant Anti-Rejection Drugs
- Thyroid Disease
- Heart Disease
- Hypertension (high blood pressure treated with medication.)
- Cancer of all forms (treatment(s) can be done 12 months after remission and/or chemotherapy treatments have ended)

THE LIST BELOW REQUIRES A WAITING PERIOD UNTIL YOU CAN START TREATMENTS:

- Recent surgery (wait 6 months)
- Recent scars (wait 6 months)
- Skin diseases (avoid area)
- Infection (avoid area)
- Antibiotics (wait until course completed)
- Inflammation (avoid area)
- Varicose Veins (avoid area)
- Prosthesis/silicone implants (avoid area)

Jaded Skin Care

Heat Therapy Contraindications (cont.)

- Metal implants/screws (avoid area)
- Menstrual Period (wait until after)
- Metal contraceptive coil (avoid area) ex: Paragard (Safe if Plastic).
- Depilatory Creams (wait 2 weeks)
- Areas being treated with IPL or Laser (wait 2 weeks)
- Areas being treated with Botox (wait 3 months) or dermal fillers (wait 2 weeks)
- Sun tanning (sun must be avoided the entire duration of the treatment regime)
- Chronic inflammation (depending on severity of chronic inflammatory conditions – consider that treatment will increase inflammation and anti-inflammatory medications reduce the effectiveness of the treatment.
- *Please discuss with your doctor first.
- Pregnant women or women who may be pregnant and breastfeeding
 - Minimum of 3 months after giving birth
 - Minimum of 6 months after C Section

please consult with your doctor first before starting skin treatments



Vacuum Therapy Contraindications

THE LIST BELOW IS OF THINGS THAT REQUIRE A WAITING PERIOD UNTIL YOU CAN BEGIN TREATMENTS:

- Recent surgery (wait 6 months)
- Recent scars (wait 6 months)
- Skin diseases (avoid area)
- Infection (avoid area)
- Antibiotics (wait until course completed)
- Inflammation (avoid area)
- Varicose Veins (avoid area)
- Prosthesis/silicone implants (avoid area)
- Metal implants/screws (avoid area)
- Menstrual Period (wait until after)
- Metal contraceptive coil (avoid area) ex: Paragard (Safe if Plastic).
- Depilatory Creams (wait 2 weeks)
- Areas being treated with IPL or Laser (wait 2 weeks)
- Areas being treated with Botox (wait 3 months) or dermal fillers (wait 3 weeks)
- Sun Tan (sun must be avoided the entire duration of the treatment regime)
- Chronic inflammation (depending on severity of chronic inflammatory conditions –
 - consider that treatment will increase inflammation and anti-inflammatory medications reduce the effectiveness of the treatment.
- Pregnant or will be pregnant
- Under 18 years of age

Safe for those who are actively breastfeeding